



OIL-ONLY PADS AND ROLLS / GOOD QUALITY



Fast absorbency
The particular texture increases the absorptive surface. The pad begins immediately to absorb when it comes into contact with the liquid, in order to save time in critical situations. It absorbs equally both on floor and on water. Even when it is completely saturated, it floats.

It absorbs oils but not water
Polypropylene fibers have the characteristic of being waterproof. Therefore, these fibers can float on water and, at the same time, they can absorb oils and hydrocarbons.

High absorbency means durability
Made of large diameter polypropylene, they are assembled so that they create a voluminous mat - a 38x48 cm pad can absorb 1,3 litres of oil. A “Good” quality roll can absorb 240 litres of oil.



OIL-ONLY PADS AND ROLLS / GOOD QUALITY

Efficient and fast absorbency of oils and hydrocarbons spills but not of water

Bright white colour allows to understand when the pad is completely saturated, avoiding to replace it too early. The presence of absorbed oil is immediately revealed by its colour.



Item Code	Descr.	Sizes	Type	Q.ty	Abs.
A0819810	good	38x48 cm	pads	100	126 L
A0819811	good	38x48 cm	pads	200	135 L
A0819801	good	76x46 cm	roll	1	240 L
A0819806	good	38x46 cm	rolls	2	240 L
A0819803	good	76x91 cm	roll	1	257 L
A0819809	good	38x91 cm	rolls	2	257 L



For indoor use - These rolls and pads guarantee a fast and efficient absorbency in case of hydrocarbons spills.



OIL-ONLY PADS AND ROLLS / OPTIMAL QUALITY

Efficient and fast absorbency of oils and hydrocarbons spills but not of water

Bright white pad

Bright white colour allows to understand when the pad is completely saturated with absorbed oily liquids, in this way avoiding to replace it when it still has absorbing capacity.

Fast absorbency

The pad begins immediately to absorb when it comes into contact with the liquid. You can use it on water or on the ground, it floats even when is completely saturated. It's ideal for outdoor use, it guarantees an efficient and fast cleaning, and helps to protect environment from contamination.



A0819812



A0809802



A0809807



<input type="checkbox"/> White Oil-Only (for oils but not water)					
Item Code	Descr.	Sizes	Type	Q.ty	Abs.
A0819812	optimal	38x48 cm	pads	100	110 L
A0819813	optimal	38x48 cm	pads	200	118 L
A0809802	optimal	76x46 cm	roll	1	209 L
A0809807	optimal	38x46 cm	rolls	2	209 L
A0809804	optimal	76x91 cm	roll	1	224 L

OIL-ONLY PADS AND ROLLS / EXCELLENT QUALITY

Efficient and fast absorbency of oils and hydrocarbons spills but not of water

High absorbency, long-term use

Oil-Only pad is waterproof. A high inner layer made of big polypropylene fibers guarantees to absorb more than 1 L oil but not water, for a cm 38x48 pad and 188,5 L for a 46 m long roll.

<input type="checkbox"/> Oil-Only Pads (for oils but not water)					
Item Code	Descr.	Sizes	Type	Q.ty	Abs.
A0819814	excellent	38x48 cm	pads	100	99.5 L
<input type="checkbox"/> Oil-Only Rolls (for oils but not water)					
Item Code	Descr.	Sizes	Type	Q.ty	Abs.
A0809805	excellent	76x46 cm	roll	1	188,5 L
A0809808	excellent	38x46 cm	rolls	2	188,5 L

It perfectly adheres to the surface

Upper and lower layers are made of small diameter fibers, increasing its surface and guaranteeing its perfect adhesion.

Virtually indestructible

This pad has a polypropylene central layer that is enclosed by means of ultrasound technology between other two layers. Therefore, it can be used everywhere.

Pre-perforated to save money

Rolls are each 19 cm vertically and each 43 cm horizontally pre-perforated. Their tears allow you to just use the quantity you need.



A0819814



A0809805



A0809808

UNIVERSAL PADS AND ROLLS - GOOD/VERY GOOD QUALITY

It keeps control on spills of oils, refrigerant liquids, solvents and water

Fast absorbency


The particular texture of the pad increases its absorbing surface as soon as it comes into contact with the liquid, this is a fundamental characteristic in case of critical situations.

Universal absorbency

The pad guarantees a fast and efficient cleaning, in this way helping to protect the environment from contamination. Grey colour identifies a universal absorber for oils, refrigerant liquids, solvents and water.


High absorbency keeps the pad for longer

Large fibers are assembled in order to create a high absorbency pad. It absorbs up to 1,1 litre with each 38x48 cm pad and 204 litres with each roll.



	Grey Universal (for oils, refrigerants, solvents and water)
---	---

Item Code	Descr.	Sizes	Type	Q.ty	Abs.
A0849831	good	38x48 cm	pads	100	108 L
A0839820	good	76x46 cm	roll	1	204 L
A0839824	good	38x46 cm	rolls	2	204 L
A0849828	very good	38x46 cm	pads	100	74 L
A0839817	very good	76x46 cm	roll	1	151 L
A0839826	very good	38x46 cm	rolls	2	151 L



PADS FOR SPILLS AND SPURTS / OPTIMAL QUALITY


It absorbs spurts and spills and helps to keep floors dry and safe

Fast action for a quick response A polypropylene layer creates a wide surface that allows the pad to quickly absorb liquids. This product absorbs oils, refrigerants, solvents, water and a lot of chemical products. This is a grey-black and lightweight thickness roll.

High absorbency guarantees a longer lifetime for the pad A big diameter polypropylene fibers texture creates a high absorbing surface. The 38 x 48 cm high-density pad absorbs 1,1 litre. The 76 cm x 46 m high-density roll absorbs 209 litres.

The quilting keeps the pad intact Infrared fusion points melt fibers layers among them. The pad does not flake even when it is completely saturated.

Pre-perforations to save money Rolls are each 19 cm vertically and each 43 cm horizontally pre-perforated.



	Grey Universal (for oils, refrigerants, solvents and water)
---	---

Item Code	Descr.	Sizes	Type	Q.ty	Abs.
A0849829	optimal	38x48 cm	pads	100	110 L
A0849830	optimal	38x48 cm	pads	200	118 L
A0839818	optimal	76x46 cm	roll	1	209 L
A0839827	optimal	38x46 cm	rolls	2	209 L
A0839819	optimal	76x91 cm	roll	1	224 L

DM-RLGN76730	optimal	cm 76x73 m	roll	1	209 L
DM-RMGN76460	optimal	cm 76x46 m	roll	1	201 L

PADS FOR UNKNOWN LIQUIDS

Absorbers for acids, bases and unknown liquids


Pads and rolls


100% polypropylene, it absorbs the most of caustic and dangerous liquids. The quilting is realized by means of ultrasound technology and gives it a strong and fast absorbency.


Specifically coloured

All absorbers are yellow-coloured in order to more easily identify them.

Two ultra-resistant layers

<div>  Yellow pads (for acids, bases and unknown liquids) </div>					
Item Code	Descr.	Sizes	Type	Q.ty	Abs.
A0879832	excellent	38x48 cm	pads	100	99.5 L

<div>  Yellow FineFiber rolls (for acids, bases and unknown liquids) </div>					
Item Code	Descr.	Sizes	Type	Q.ty	Abs.
A0869821	excellent	cm 76x46 m	roll	1	188,5 L
A0869825	excellent	cm 38x46 m	rolls	2	188,5 L



UNIVERSAL PADS

DM065BP Composed by hot embossed PPL, and having a high absorbing power, it is recommended for graphics, electronics, food processing and mechanical sectors.


DM-P80BL New-design non-woven fabric, having a high absorbing power, a low release of particles and chemical glue free. It is ideal for any situation where resistance, maximum absorbency, durability during its use and no impurities release are recommended. Available in 8 blisters packages. Each blister contains 160 pads.



DM065BP

DM-P80BL

INDUSTRIAL PADS			
Item Code	Description	Sizes	Quantity
DM065BP	Roll	32x40 cm	195 m/488 pcs
DM-P80BL	Pad	32x43 cm	8 blisters/160 pads 1280 pcs



Recommended for these sectors

- Metals cutting and bending
- Vehicles construction and repair
- Equipment manufacturing
- Paper manufacturing and processing

ABSORBING ROLLS and accessories

Small size absorbing rolls are much better than cloths, absorbent granules and towels in order to keep a cleaner working environment. It is perfect for garages, workshops, workbenches, toolboxes, machineries, vehicles and fueling stations. Roll sizes make it easy to store and carry. Perforations each 25 cm, easy to tear, allow to take just what you need. It absorbs oils, grease, water, diesel, fuels, solvents, liquids, refrigerants, paint and ink. Made with at least 25% recycled content.



MAGNETIC ROLL HOLDER			
Sizes	Quantity	Colour	Code
14x43,2X5,1 cm	1	BLACK	DMR1971

The magnetic support sticks to any metal surface to keep the roll where needed for a fast cleaning.



Lightweight, resistant and functional. It's a practical tool for any activity: from kitchens to workshops, at home and in garages. Thanks to its compact dimensions and attractive design is simple to install. Its support has 100 mm diameter, 1000 mm length, and is compatible with our rolls standards (and with industrial rolls, tear-off rolls, absorbers, etc).

DMR1971
Magnetic
dispenser




DMR1930
Single Roll




DMR1951
12 rolls Display Box

UNIVERSAL ABSORBING ROLL				
Weight	Sizes	Quantity	Absorbency	Code
LIGHTWEIGHT	cm 38x15 m	60 PADS	12,5 L/R	DMR1930

ROLLS IN DISPLAY BOX			
Weight	Sizes	Quantity	Code
MEDIUM	50x33x77 cm	12 ROLLS	DMR1951



ALUMINIUM ROLL HOLDER



code DMR-ROTPOR

UNIVERSAL SOCKS / To contain and absorb

Universal socks, high performance This 100% polypropylene sock absorbs oils, refrigerant, solvents and water. It is ideal to face any tipe of spills, easy to suit and bend into any shape.



Universal socks (for oils, refrigerants, solvents and water)				
Item code	Description	Sizes	Quantity	Absorbency
A0909796	universal grey	8x122 cm	30 pcs	94,6 L
A0909797	universal grey	8 x 366 cm	10 pcs	94,6 L each box
4048	universal blue	8x122 cm	40 pcs	112 L



UNIVERSAL PILLOWS / For large drippings

Pillows can absorb liquids in very small spaces
Pillows are easy to use in difficult-to-reach areas; under machineries, dripping pipes or small corners.

Only one product for a wide range of uses
It is a very versatile product. It removes liquids on floors as a sock, contains drippings as a mat and absorbs as a pad.




Universal absorbing pillows (for oils, refrigerants, solvents and water)				
Item Code	Description	Sizes	Quantity	Absorbency

A0859815	universal	46x46 cm	10 pcs	87 L
A0859816	universal	20x46 cm	20 pcs	87 L

It quickly absorbs large amounts of liquids It is ideal when spills occur. The pillow large surface allows a fast absorbency, shortening the time to respond in case of emergency.



Oil-Only SOCKS / To contain and curtail



Oil-Only socks absorb oils but not water In case of oils spills, these 100% polypropylene socks are ideal. They absorb only hydrocarbons but not water, and can be used for a long time.

<div><input type="checkbox"/> White Oil-Only socks (for oils but not water)</div>				
Item Code	Description	Sizes	Quantity	Absorbency
A0789796	Oil-Only	8x122 cm	30	94.6 L

PILLOWS / Ideal for outdoor use

These pillows absorb oil but not water, even in the rain

Oil-Only pillows have a high absorbency of hydrocarbons on water, even in the rain.

Only one product for a wide range of uses
Easy to use on basins and bodies of water.
For fast interventions in case of spills.

Particular colour

White colour immediately allows to understand when oils and hydrocarbons have been absorbed.



<div><input type="checkbox"/> White Oil-Only pillows (for oils but not water)</div>				
Item Code	Description	Sizes	Quantity	Absorbency
A0829815	Oil-Only	46x46 cm	10	87 L
A0829816	Oil-Only	20x46 cm	20	87 L



ABSORBING BARRIERS / Ideal for outdoor use

<div><input type="checkbox"/> White Oil-Only barriers (for oils but not water)</div>				
Item Code	Description	Sizes	Quantity	Absorbency
A0789797	Oil-Only	cm 13x3 m	4	114 L
A0789798	Oil-Only	cm 13x6 m	2	114 L
A0789799	Oil-Only	cm 20x3 m	4	143,8 L
A0789800	Oil-Only	cm 20x6 m	2	143,8 L
A0782669	Oil-Only	cm 20x46 cm	10	68,1 L
A0783057	Oil-Only	cm 8x46 cm	25	35 L

Control outdoor spills using our barriers

A sturdy external coating includes a highly absorbent polypropylene interior. Socks won't lose absorbed liquids even when they will be completely saturated, staying afloat.

A sturdy nylon rope goes through the barriers along their whole length, increasing their resistance and simplifying recovery operations.

Create your own personalized barrier

Barriers can be connected among them through a steel carabiner, creating a personalized barrier on bodies of water.



Barrier

Barriers hooking system represents an easy and efficient way to create a containment system for any type of spills.



Skimmer

Tubular net skimmer separates oil from water in water collection basins, water wells, tanks or basins. Each skimmer absorbs up to 6,8 litres of oily liquids.

SOCKS / For acids and caustic substances spills

Socks to absorb caustic This 100% polypropylene sock absorbs almost all types of caustic substances, unknown liquids, acids, bases and solvents. Its particular yellow colour indicates that one of these substances has been absorbed.



<div><div></div>Yellow socks (for acids, caustic substances and unknown liquids)</div>				
Item Code	Description	Sizes	Quantity	Absorbency
A0909796	chemicals	8x122 cm	30	94.6 L




PILLOWS / For large losses

The pillow large surface allows a high absorbency, therefore a quick response in case of spills. It absorbs liquids as a sock, collects losses as a basin and absorbs as a pad.

<div><div></div>Universal absorbing pillows (for oils, refrigerants, solvents and water)</div>				
Item Code	Description	Sizes	Quantity	Absorbency
A0889815	chemicals	46x46 cm	10	87 L
A0889816	chemicals	20x46 cm	10	87 L



code A0889815



PORTABLE KIT FOR TRUCKERS

Universal PORTABLE KIT

Transparent bag to control its content

This portable kit controls all types of spills. Thanks to its characteristic compact design, it is perfectly suitable behind the seat of a truck and is ideal for small spills that the driver may face every day. It is appropriate to absorb oils, refrigerants, solvents and water.

Content A0959844

- 20 Universal pads
- 3 Universal socks
- 1 Disposal sack with closure
- 1 Rapid response instructions manual



Code A0959844
It absorbs 33 L



Oil-Only KIT FOR TRUCKERS

Transparent bag to control its content

This kit contains spills quickly in order to preserve the environment. This Kit is easy to handle and is essential for a quick response, reducing damages as much as possible. Oil-Only is suitable to absorb oils but not water.

Content A0979844

- 20 Oil-Only pads
- 3 Oil-Only socks
- 1 Disposal sack with closure
- 1 Rapid response instructions manual



Code A0969844
It absorbs 33 L



Haz-Mat KIT FOR TRUCKERS

Transparent and portable bag

This portable Kit solves small spills problems. Thanks to its characteristic compact design, it is perfectly suitable behind the seat of a truck and is ideal for small spills that the driver may face every day. It is appropriate to absorb acids, caustic substances and unknown liquids.

Content A0979844

- 20 Pads
- 3 Socks
- 1 Disposal sack with closure
- 1 Rapid response instructions manual



Code A0979844
It absorbs 33 L







UNIVERSAL



OIL-ONLY



HAZ-MAT



Portable and cheap UNIVERSAL SPILL KIT

It responds quickly in case of spills on the floor

Wheeled container designed to resist to bad weather thanks to its hinged lid that protects its content from dust and wear (it is better to store it indoors for long periods of time). Its sturdy rubber wheels and its handles guarantee easy movements even on stairs and obstacles, in order to allow a quick response in case of spills. It includes a range of products able to absorb oils, water and non-aggressive liquids. A fast and efficient absorbency. This is an ethical and an economical question because the penalties provided by the legislation in force for this kind of accident are very significant.

Universal, cheap and portable Kit

Item Code	Absorbency
A0929845K	60 L
A0929835K	120 L
A0929836	240 L
A0929837	360 L

Products refill for Kit - Universal

A0989845	60 L
A0989835	120 L
A0989836	240 L
A0989837	360 L

Item code	Absorbency
A1009837	360 L



- Content A0929845K**
30 Universal pads
5 Universal socks
3 Universal pillows
2 Disposal sacks with closure
1 Wheeled container

- Content A0929835K**
60 Universal pads
10 Universal socks
6 Universal pillows
5 Disposal sacks with closure
1 Wheeled container

- Content A0989836**
150 Universal pads
16 Universal socks
6 Universal pillows
10 Disposal sacks with closure
1 Wheeled container









- Content A0929837**
200 Universal pads
18 Universal socks
10 Universal pillows
15 Disposal sacks with closure
1 Wheeled container

Rapid response universal kit on four wheels. Composed of:
200 Pads;
10 Pillows;
18 absorbing Socks/Hoses;
15 Disposal sacks with closure;
1 Rapid response instructions manual.

OIL-ONLY SPILL KIT

It responds quickly to spills using these cheap and transportable kits

These absorbing products are organized in order to ensure a quick response in case of spills. A fast spill absorbency protects the company from any penalties. Polyethylene wheeled container designed to resist to bad weather thanks to its hinged lid that protects its content from dust and wear (it is better to store it indoors for long periods of time). Its sturdy rubber wheels and its handles guarantee easy movements even on stairs and obstacles, in order to allow a quick response in case of spills.

Oil-Only cheap and portable Kit	
Item code	Absorbency
 A0939848K	60 L
 A0939838K	120 L
 A0939839	240 L
 A0939840	360 L
Products refill for Kit - Oil-Only	
 A0999848	60 L
 A0999838	120 L
 A0999839	240 L
 A0999840	360 L



Content A0939848K
30 Oil-Only pads
5 Oil-Only socks
3 Oil-Only pillows
2 Disposal sacks with closure
1 Wheeled container

Content A0939838K
60 Oil-Only pads
10 Oil-Only socks
6 Oil-Only pillows
5 Disposal sacks with closure
1 Wheeled container









Content A0939839
150 Oil-Only pads
16 Oil-Only socks
6 Oil-Only pillows
10 Disposal sacks with closure
1 Wheeled container

Content A0939840
200 Oil-Only pads
18 Oil-Only socks
10 Oil-Only pillows
15 Disposal sacks with closure
1 Wheeled container

CHEMICAL SUBSTANCES SPILL KIT

It responds safely in case of acids, caustic substances and unknown liquids

These absorbing products are organized in order to ensure a quick response in case of spills. A fast spill absorbency protects the company from any penalties. It absorbs safely in case of acids, caustic substances and unknown liquids. Polyethylene wheeled container designed to resist to bad weather thanks to its hinged lid that protects its content from dust and wear (it is better to store it indoors for long periods of time). Its sturdy rubber wheels and its handles guarantee easy movements even on stairs and obstacles, in order to allow a quick response in case of spills.

Cheap and portable Kit	
Item code	Absorbency
 A0949849K	60 L
 A0949841K	120 L
 A0949842	240 L
 A0949843	360 L
Products refill for Kit	
 A1009849	60 L
 A1009841	120 L
 A1009842	240 L
 A1009843	360 L



Content A0949849K
30 Pads
5 Socks
3 Pillows
2 Disposal sacks with closure
1 Wheeled container

Content A0949841K
60 Pads
10 Socks
6 Pillows
5 Disposal sacks with closure
1 Wheeled container

Content A0949842
150 Pads
16 Socks
6 Pillows
10 Disposal sacks with closure
1 Wheeled container

Content A0949843
200 Pads
18 Socks
10 Pillows
15 Disposal sacks with closure
1 Wheeled container

IT ABSORBS CAUSTIC
SUBSTANCES, ACIDS AND
UNKNOWN LIQUIDS

CONTROL OF SPILLS / CONICAL PLUGS/BARRIERS

Conical plug systems are ideal, in case of breaks or maintenance, for clogging small and medium-sized pipes and pipe drains. Made of high-quality polymer, they can be easily inserted in pipes thanks to their easy-to-handle steel big screw. After maintenance operations, the conical plug inserted in the pipeline can be easily removed thanks to its hook ring that is positioned on the end of the big screw.



Conical plug code	Diameter
A1039870	51 mm
A1039871	76 mm
A1039872	102 mm
A1039873	150 mm




SPILL CONTAINMENT BARRIERS

DMR spill containment barriers are a reliable solution to avoid liquid leaks to flow into pipe drains both in case of small losses from machineries and in case of large leaks. They are reusable and resist to the most of chemical products. A carriageable version of them is available for forklifts and trucks passage. They are also ideal to be used on rough surfaces such as concrete and asphalt, guaranteeing a unique adhesion to the ground.


Carriageable spill containment barriers Sizes	Item code
100 mm x 60 mm x 120 mm carriageable joint	A1022666
370 mm x 60 mm x 100 mm carriageable corner barrier	A1022667
1500 mm x 60 mm x 100 mm carriageable barrier	A1022668
1500 mm x 60 mm x 100 mm adhesive carriageable barrier	A1022669
1500 mm x 60 mm x 100 mm adhesive carriageable corner barrier	A1023059



Spill containment barriers Sizes	Item code
2000 mm x 45 mm x 50 mm	A1029868
3000 mm x 45 mm x 50 mm	A1022651
3000 mm x 70 mm x 100 mm	A1029867
Ø 400 mm x 45 mm x 45 mm	A1029869



CONTROL OF SPILLS / DRAIN COVER/NATURAL ABSORBERS



Sizes	Item Code
500 mm x 500 mm x 13 mm	A1019852
610 mm x 610 mm x 13 mm	A1019854
700 mm x 700 mm x 13 mm	A1019855
760 mm x 760 mm x 13 mm	A1019856
800 mm x 800 mm x 13 mm	A1019857
910 mm x 910 mm x 13 mm	A1019858
1200 mm x 1200 mm x 13 mm	A1019860
1520 mm x 460 mm x 13 mm	A1019862
3000 mm x 1000 mm x 13 mm	A1019863
Ø 450 mm x 13 mm	A1019864
Ø 850 mm x 13 mm	A1019864
Ø 1000 mm x 13 mm	A1019866



DMR drain covers have a wear and abrasion resistant upper layer, with a viscous base to seal optimally drains. It is made of polyurethane to resist to oils and to many chemical substances. It can be shaped. It is available in different sizes, also in circular shape, in order to protect round drains.

DRAIN COVER BAG

Made of black/yellow nylon, it is resistant to bad weather and protects the bag from humidity during its storage. **EQUIPMENT:** Three hooks with rings to hang the bag on the wall. Nylon ropes to quickly transport it to the place where the spill has occurred.



code DMRCOP9090

DECODRY TROLLEY Eco-friendly, Innovative, Efficient

1) It is useful to displace effortlessly the stock of absorbers and tools until the place where you can intervene: to have everything you need in order to quickly and efficiently treat the leak.

2) It recovers and recycles separating the dirty absorbent dust from the clean reusable one that falls into the storage tank.

3) The trap-door offers an easy access to the absorbers stock. Once you reclose it, it guarantees to keep the container watertight.



1



2



3

CHARACTERISTICS	CODE
DECODRY TROLLEY	A1662698

Wheeled container to store 50 L. Equipped with dustpan, shovel, broom and sieve. Hermetic seal to place it outdoors. Storage space and strap for paper roll. The sieve recovers saturated residues while reusable dust falls into the storage tank. Control of consumable materials: it is possible to use 100% of this product capacity thanks to the sieving. We recommend you to use it with absorbent product having the following code CODE A1592655.



ABSORBENT GRANULES FOR OILS AND HYDROCARBONS ON SOIL AND WATER

ECOUNI 10100 100% mineral recycled absorber made from building materials that have been properly shattered, filtered and reclaimed, and then it is not flammable. In case of accidental ignition, it does not release harmful gases, during its absorbency it produces lumps. We recommend you to use it combined with Decodry Kit. Biologically inert, it does not contain harmful additives and is not toxic. It absorbs any type of oily and non-oily liquid product.



CHARACTERISTICS	CODE	ABSORBENCY
10 KG SACK	A1592655	18,5 L/pallet



GREENSORB

Absorbent granules for oils and hydrocarbons on soil and water. 6 kg sack. It does not absorb water - it absorbs oils and hydrocarbons from water, does not contain any aggressive chemical ingredients, nor produce any muds and does not solidify.

CHARACTERISTICS	CODE	ABSORBENCY
6 KG SACK	DMR-GREENSORB	it absorbs oil but not water



DM2801 ABSORBER

It is a mineral dust to absorb any type of liquids. A fast absorbency product, it changes its colour and consistency, forming small lumps that facilitates the removal and cleaning operations. Useful in any industrial environment, it removes oils and makes any surface safe and anti-slip. DM2801 is environment-friendly because of its natural origin, it does not contain chemical additives and free crystalline silica, guaranteeing a safe working environment for operators; it does not have degradability, ecotoxicity and bioaccumulation problems. It is not flammable, therefore it can be used to absorb flammable and combustible liquids.

CHARACTERISTICS	CODE	ABSORBENCY
12 KG SACK	DM2801/12	15 L each sack
*12 KG BUCKET saleable only on 60 pallets buckets	DM2801/12SPLT	900 L each pallet

NEUTRALIZER FOR ACIDIC SOLUTIONS

For absorbency and neutralization of acidic solution in lead batteries, in compliance with L. D. N. 20-24 January 2011






ITEM CODE	PACKAGE AND WEIGHT	NEUTRAL. POWER
DM-NEU0203	Kg 3 Container	11 L/package
DM-NEU0206	Kg 6 Container	22 L/package
DM-NEU0212	Kg 12 Container	44 L/package
DM-NEU0225	Kg 25 Container	91 L/package






DM-NEU02 acid neutralizer necessary quantity to perfectly neutralize a litre of acidic solution, whose density is 1,26 g/cm³, is exactly 280 grams. Certified by Università Degli Studi di Parma.



REUSABLE ABSORBENT STICKY MAT



This “Sticky” absorbent mat is the first of its kind, the only one that stays still without adhesive tapes. Its sticky support holds the mat in position, avoiding it to overlap and slip, and allowing it to collect losses and drippings practically everywhere, also in intense passage areas, and even on vertical surfaces.

CODE	Sizes	Units	Abs.	COLOURS
A1079877	91 cm x 30 m	1 roll	30 L	
A1079815	91 cm x 15 m	1 roll	15 L	
A1079877GR	91 cm x 30 m	1 roll	30 L	
A1079877MC	91 cm x 30 m	1 roll	30 L	
A1059879	81 cm x 30 m	1 roll	39,7 L	

CODE	Sizes	Units	Abs.	COLOURS
A1562926	91 cm x 15,3 m	1 roll pre-cut 10 pcs	10 L	
A1572653	91 cm x 15,3 m	1 roll pre-cut 5 pcs	15 L	
A1622665	91 cm x 7,6 m	1 roll	7,6 L	
A1672900	91 cm x 6 m	1 roll pre-cut 4 pcs	6 L	
A1814270	61 cm x 30 m	1 roll	20 L	

This sticky roll is realized to adhere to any floor without leaving residues. It can be easily removed, reducing cleaning time. It is melted and reinforced and has an incredible resistance, it does not rip or wear out, not even if it is subjected to a high traffic of pedestrians and forklift trucks.

Its polyethylene base forms a barrier that does not allow liquids to filter within it. Anti-slip Grip System treatment. When it is used as a part of a program, it keeps floors safe, reducing by 90% accidents due to falls or slips.



This back adhesive sticky mat has been designed to be used on industrial and commercial floors but is not intended to be used at home or on wood floors. All adhesive mats can leave residues, lift or discolour coatings, paint and loose tiles that have been previously damaged, depending on the floor surface conditions. If you want to verify the suitability of the back adhesive mat for your intended use, before to use it apply a 15x15 cm part of the same on an area that is not particularly important. Floor “Sticky” mat must be replaced if it shows signs of wear or damages, and in any case it must be replaced every 12 weeks. The Customer will be exclusively responsible for determining the use suitability and adequacy of back adhesive mats in his working environments.



Use it on entrances, corridors and everywhere people walk and work...Ultra-thin, sturdy and absorbent .
You will find further information on page 84.

- HOSPITALITY
- LOCAL AUTHORITIES
- SUPERMARKETS
- PROPERTY MANAGEMENT
- RETAIL

STICKY MAT CERTIFICATION
This Sticky mat is tested and certified by National Floor Safety Institute (NFSI) as a high-traction surface that can reduce up to 90% of slips and compensation claims for falls, if it's used as a part of a floor safety program.

ACCESSORIES FOR “ABSORBENCY” LINE

Accessori per l’installazione



Rullo di installazione

- Srotola il tappetino, spingendolo in avanti e facendolo aderire al pavimento
- Ideale per tratti lunghi per non stare piegato sulle ginocchia durante l’installazione

Rullo di installazione per il tappetino adesivo Appiccicoso

N° articolo

SQT600 • Rotolo largo 96,5 cm e lungo 147,3 cm

TEMPLATE + CUTTER KIT ITEM CODE DMRMATTAG

Installation and cutting tools for mats with template and cutter Sizes: 96.5 cm x 15 cm



1.Prepare the floor
Clean and dry carefully the floor in order to make the mat adhere well to the floor.

2.Cut it to adapt it
Unroll the mat and cut it to the suitable size using a safety cutter, scissors or a utility knife.

3.Make it adhere to the floor
Place the mat, level it and push it in its position using the installation guide.

It can be easily applied using these tools.
Use our installation tool as a guide for straight cuts, then collect it and use it in order to level the mat in its position. It also works to cut 45 degrees angles to extend the life of the product.



Installation Kit
Code **DMRMATTAG**
containing the cutter + plastic
template Code **SQT600** roller

WHEEL CLEANING MAT FOR ENTRANCES

The double level surface of this mat efficiently removes humidity and dirt from forklift truck wheels improving its safety. Its rubber base resists to forklift trucks traffic up to 6 tons. Modular mats are easy to install and can be modulated for different applications and their ultra-resistant adhesive avoids them to move. This mat is easy to clean and dries rapidly. It is recommended in all those structures or companies where forklift trucks traffic is high.

Code	Sizes	Colour
DMR-LTMAT115180C	115X180 cm	Coal

Characteristics	Weight	Flame-retardant	Ideal
SBR rubber	5 kg/m ²	EN 13501-1 (2007) + A1 (2009)	Indoor/Outdoor



Bioadhesive
DMR-LTMAT733B

Easy and fast installation,
dry clean or with warm water

TRAYS AND BOXES

The best product for spills, drippings and losses.

Spill containment pallets carry up to 2 tanks and can help you to be in compliance with regulations.

100% polyethylene with UV blocking agents, it resists to water corrosion and to most chemicals. Gratings can be lifted to easily access to the collection tray. 2 tanks pallet is ideal for small spaces.


Code	Load capacity	Collection capacity	Sizes	Characteristics
DM734.225	400 kg	225 litres	80 cm Width 92 cm Length 42 cm Height	Polyethylene pallet to contain spills. 1 tank
DM734.305	800 kg	305 litres	80 cm Width 135 cm Length 42 cm Height	Polyethylene pallet to contain spills. 2 tanks

Please note: it is not suitable for flammable liquids. Please contact your distributor to verify the chemical compatibility.

Its anti-slip surface provides a safe support base for walking and to place tanks in both models.



DM734.225




DM734.305

Resistant and low profile pallets are enough sturdy to carry four completely loaded tanks made of polyethylene or steel. They are excellent to store high specific gravity liquids inside steel or polyethylene tanks containing 210 litres. These pallets can be moved when are loaded with tanks. Their removable anti-slip grating can be lifted to easily access to the collection tray.

Code	Load capacity	Collection capacity	Sizes	Characteristics
DM734.500	1.500 kg	500 litres	135 cm Width 135 cm Length 47 cm Height	Low profile pallet for heavy loads. 4 tanks

Please note: it is not suitable for flammable liquids. Please contact your distributor to verify the chemical compatibility.



DM734.500

Entry holes facilitate access for forklift trucks.

TRAYS AND BOXES

The best product for spills, drippings and losses.

Polyethylene WbHJba Ybhi dU`Yrg Zf` IBC UbX` Hub_g, UY` a UXY` cZ mY` ck` dc`mYH mYbY, k JH` U dc`mdfcdmYbY [fUhb[; I J`fYgJghUbh V@` Aa`A`c&||^` oA` A`q`|^A`@`@`] ^aaA`|a`a` Aa` a`Aa` aA`a`| [&a`a`[} • a` A`c`^|Aa` \ • A` I IBC &[} a`a` a` * 1000 litr^ • .Resista` oA` &@`{ a`a`.

Code	Load capacity	Collection capacity	Sizes	Characteristics
A1582654	1500 kg	1050 litres	135 cm Width 135 cm Length 97cm Height	High profile pallet for heavy loads. 1 IBC
A1802932	1500 kg	1100 litres	167 cm Width 135 cm Length 97 cm Height	High profile pallet for heavy loads. 1 IBC

Easy access for forklift trucks.

These products help you to be in compliance with laws concerning liquids and hydrocarbons storage. PLEASE NOTE: it is not suitable for highly flammable liquids.

GdJ` WbHJba Ybhi dU`Yrg WUfmi d`hc 2 IBC. H YmVUb` Y d`nci` hc` VY`Jb` Wc` a d`JubW`k JH` fY[i` UH`cbg. O[} a`a`{ ^` } oA`a` A` a`^A` A`X`A` a`a`a`^a`a` a`a`[} E` a`A`^||, A`|^`^o`|^`^, roto{ [^`|a`a`a` a` mono|a`a`a` a`a`^a` a`a` a`a`|a`c`a`a` A`a`a` *|^A`a`&A` a`q`^` oA` a` • A` a`o`A`^|E`] [i`q` * A` a`a`a` a`|^`|&a`a`d` &c`|^A` A`^ • a`o`a`{ } • L`a`A`^ • a`c`a` A` &@`{ a`a` E` A`^` a`|^`a`a` a`o`A` [A`^| [c`a`|^A`|^|^|^|^|^`^A`|a`a` * • A`|^A` A`a`^`&|^a`a` a` * E`a`a` A`A`^|{ [^` } c`a`A` @` } A`^| } c` . Q`a`a` A`A` [c`^a`a` a`o`A`^| |a`o`|^A`a`a` •] a`^A` @` } A`^| } c`.

Code	Load capacity	Collection capacity	Sizes	Characteristics
A1582894	3.000 kg	1150 litres	254 cm Width 137 cm Length 65 cm Height	Polyethylene pallet to contain spills. 2 IBC

Please note: it is not suitable for flammable liquids.
Please contact your distributor to verify the chemical compatibility.

Entry holes facilitate access for forklift trucks.
It secures 2 tanks with 1000 L.

FYgJghUbhUbX` ck` dfcZ`Y dU`YrgZH YmUY`XYU`hc` UWWgg`UbX`hc` JbHfbU`mXJgh`Vi` H`Y`Hub_g. V@` Aa`A`c&||^` oA` A` • q`|^A`c`^|A`|^|^|^|^|^`^A`^` • &[} a`a` a` * 210 litr^ • . V@`^A` a`|^`o`&a` A`A` [c`^a`a` @` } A`a`A` a`a`a` a`o`A`^|E`



Code	Load capacity	Sizes	Characteristics
DM734.280	1360 kg	123 cm Width 83 cm Length 30 cm Height	Low profile pallet to contain jerry cans. 2 tanks
DM734.280PE	250 kg	123 cm Width 83 cm Length 30 cm Height	Low profile pallet to contain jerry cans. 2 tanks

Please note: it is not suitable for flammable liquids.
Please contact your distributor to verify the chemical compatibility.

Dc`mYH mYbY` WbHJba Ybhi dU`Yrg Zf` IBC` UbX` Hub_gZ` UY` a UXY` cZ mY` ck` dc`mYH mYbYZ` k JH` U dc`mdfcdmYbY [fUhb[/ I J`fYgJghUbh V@` Aa`A`c&||^` oA` A`q`|^A`^` • &[} a`a` a` * 200 litr^ • o[^`a`] a` * A`a`^` • &[} a`a` a` * 100 o[60 litr^ • . To raise or stack. Resistant to chemicals.

Code	Load capacity	Collection capacity	Sizes	Characteristics
A1792924		200 litres	61 cm Width 46 cm Length 41 cm Height	Low profile pallet to stack tanks. 1 tank
A1792925	1360 kg		120 cm Width 78 cm Length 25 cm Height	Low profile pallet to stack tanks. 2 tanks

Please note: it is not suitable for flammable liquids.
Please contact your distributor to verify the chemical compatibility.



TRAYS AND BOXES

The best product for spills, drippings and losses.

Carbon steel pallet to contain spills

DM-BAV01

1 Tank 220 Kg

Collection capacity 240 litres

860 mm width X 860 mm length X 430 mm height

DM-BAV02F

2 Tanks 220 Kg

Collection capacity 260 litres

1340 mm width X 850 mm length X 330 mm height

DM-BAV04F

4 Tanks 330 Kg

Collection capacity 260 litres

1340 mm width X 1250 mm length X 300 mm height

DM-BAV08F

8 Tanks 220 Kg

Collection capacity 620 litres

2720 mm width X 1250 mm length X 300 mm height



DM-BAV02F



DM-BAV01

Also available in zinc plated carbon

Carbon steel pallet to contain spills

DM-BAV01C

1 IBC with 1000

Collection capacity 1150 litres

1650 mm width X 1650 mm length X 620 mm height

DM-BAV02C

2 IBC with 1000

Collection capacity 2300 litres


2720 mm width X 1340 mm length X 420 mm height

DM-BAV03C


3 IBC with 1000

Collection capacity 3450 litres

3400 mm width X 1340 mm length X 440 mm height



DM-BAV02C



DM-BAV01C

Also available in zinc plated carbon

Carbon steel pallet to contain spills

DM-BAV01RCV


1 IBC with 1000

Collection capacity 1150 litres

1650 mm width X 1340 mm length X 1080 mm height

Stand height 460 mm

Zinc coated steel grating



DM-BAV01RCV

Also available in zinc plated carbon

*We manufacture trays with any size and for any need.
These products help you to be in compliance with laws concerning liquids
and hydrocarbons storage.*