

ANTI-SLIP ADHESIVE LINE



ANTI-SLIP TAPES

An anti-slip flooring is a need for any company, for several reasons, including health and safety regulations and standards imposed to companies by Legislative Decree 81/2008 Art. 63 Annex IV 1.3. DMR provides anti-slip floor coverings able to meet any specific requirement. They don't need any maintenance since they resist to both steam cleaning and detergents. Our range of anti-slip adhesive materials is suitable for multiple applications.

The standard range provides an instantaneous floor anti-slip covering, while the adaptable/conformable ones are conceived for irregular surfaces whose coating could have some difficulties, such as textured stairs, then we have safety navy boat/water-resistant that is used for food and shipping companies. Our material is extremely durable and is ideal as permanent anti-slip tape. It can be applied on most surfaces and ensures a high quality instantaneous antislip protection, able to satisfy worldwide safety standards. This material resists to temperatures below 30°C, classical sizes are 2,5/5/10 cm width with 18,3 m length. WE CAN PROVIDE OUR TAPE IN ANY SHAPE AND FORMAT.

Black colour Code	Size
DM25SGNE	cm 2,5x18,3 m
DM50SGNE	cm 5x18,3 m
DM100SGNE	cm 10x18,3 m
Red colour Code	Size
DM25SGRO	cm 2,5x18,3 m
DM50SGRO	cm 5x18,3 m
DM100SGRO	cm 10x18,3 m
Yellow colour Code	Size
DM25SGGI	cm 2,5x18,3 m
DM50SGGI	cm 5x18,3 m
DM100SGGI	cm 10x18,3 m
Green colour Code	Size
DM25SGVE	cm 2,5x18,3 m
DM50SGVE	cm 5x18,3 m
DM100SGVE	cm 10x18,3 m
Blue colour Code	Size
Blue colour Code DM25SGBL	Size cm 2,5x18,3 m
DM25SGBL	cm 2,5x18,3 m
DM25SGBL DM50SGBL	cm 2,5x18,3 m cm 5x18,3 m
DM25SGBL DM50SGBL DM100SGBL Grey colour	cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m
DM25SGBL DM50SGBL DM100SGBL Grey colour Code	cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m Size
DM25SGBL DM50SGBL DM100SGBL Grey colour Code DM25SGGR	cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m Size cm 2,5x18,3 m
DM25SGBL DM50SGBL DM100SGBL Grey colour Code DM25SGGR DM50SGGR	cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m Size cm 2,5x18,3 m cm 5x18,3 m
DM25SGBL DM50SGBL DM100SGBL Grey colour Code DM25SGGR DM50SGGR DM50SGGR DM100SGGR White colour	cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m Size cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m
DM25SGBL DM50SGBL DM100SGBL Grey colour Code DM25SGGR DM50SGGR DM50SGGR DM100SGGR White colour Code	cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m Size cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m Size Size Size Size
DM25SGBL DM50SGBL DM100SGBL Grey colour Code DM25SGGR DM50SGGR DM100SGGR White colour Code DM25SGBI	cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m Size cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m Size cm 2,5x18,3 m
DM25SGBL DM50SGBL DM100SGBL Grey colour Code DM25SGGR DM50SGGR DM100SGGR White colour Code DM25SGBI DM25SGBI DM50SGBI	cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m Size cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m Size cm 2,5x18,3 m
DM25SGBL DM50SGBL DM100SGBL Grey colour Code DM25SGGR DM50SGGR DM100SGGR White colour Code DM25SGBI DM25SGBI DM50SGBI DM50SGBI DM100SGBI Brown colour	cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m Size cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m Size cm 2,5x18,3 m cm 5x18,3 m cm 5x18,3 m
DM25SGBL DM50SGBL DM100SGBL Grey colour Code DM25SGGR DM50SGGR DM50SGGR DM100SGGR DM100SGBI DM25SGBI DM50SGBI DM50SGBI DM100SGBI Brown colour Code	cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m Size cm 2,5x18,3 m cm 5x18,3 m cm 10x18,3 m cm 2,5x18,3 m cm 2,5x18,3 m cm 2,5x18,3 m cm 10x18,3 m cm 2,5x18,3 m cm 10x18,3 m cm 5x18,3 m cm 5x18,3 m cm 5x18,3 m cm 5x18,3 m cm 10x18,3 m cm 10x18,3 m cm 10x18,3 m



Transparent Code	Size
DM25SGTR	cm 2,5x18,3 m
DM50SGTR	cm 5x18,3 m
DM100SGTR	cm 10x18,3 m
Fluo Yellow Code	Size
DM25SGGF	cm 2,5x18,3 m
DM50SGGF	cm 5x18,3 m
DM100SGGF	cm 10x18,3 m
Yellow/Black Code	Size
DM25SGHGN	cm 2,5x18,3 m
DM50SGHGN	cm 5x18,3 m
DM100SGHGN	cm 10x18,3 m
White/Red Code	Size
DM25SGHRB	cm 2,5x18,3 m
DM50SGHRB	cm 5x18,3 m
DM100SGHRB	cm 10x18,3 m

ADVANTAGES OF OUR TAPE

- Competitive prices 1
- 2 Wide range of available colours 3
 - Excellent performance
 - High durability
 - Permanent adhesion

4

5.

6.

Easy application

WHERE YOU CAN USE OUR TAPES

WORK ENVIRONMENTS - INDUSTRIAL SHEDS -OFFICES - WORKSHOPS - CHANGING ROOMS -SWIMMING POOLS - HOSPITALS - RESIDENTIAL CARE HOMES - SPORTS FACILITIES - MEDICAL OFFICES - MALLS - SCHOOLS - KITCHENS -**RESTAURANTS - HOTELS - DINING HALLS -**SUPERMARKETS - DEPARTMENT STORES -WELLNESS CENTRES - THERMAL TREATMENT CENTRES - PUBLIC AREAS - MARKET HALLS -ENTRANCES - STAIRWELLS - BATHTUBS -SHOWERS - BARS - HOMES

Size		
cm 5x3 m		
Size		
cm 5x3 m		
Size		
cm 5x3 m		
A AN		

SAFETY STANDARD LENGTH 3 M

150 mm x 610 mm anti-slip in 25 pcs/packs. It is possible to regust them in the following colours: green, blue, yellow, beige, red, white, transparent, fluo yellow, brown, grey, black/yellow, red/white.

Example CODE DM150SWNE (NE=BLACK) SIZE 150 mm x 610 mm in 25 pcs/packs. For other colours replace code "NE" with the first two letters of the colour you desire



ROUGH SAFETY ANTI-SLIP/NON-SKID TAPES



PHOTOLUMINESCENT SAFETY

It's a photoluminescent adhesive tape that accumulates light and releases it, by illuminating in the dark. It is available with many length and width sizes on request. It's ideal for operas and theatrical plays, or to create suggestive environments. During dangerous situations **photoluminescent safety** will be ready as an excellent anti-slip adhesive, to signal emergency exits and dangerous passageways, to make objects more visible at night, and much more.



1) FULLY PHO TAPE	Size
DM25SGPHO	cm 2,5x18,3 m
DM50SGPHO	cm 5x18,3 m
DM100SGPHO	cm 10x18,3 m
DM50EGPHO	cm 5x10 m
2) BLACK TAPE WITH PHO STRIP	Size
with 1 cm central phosphorescent strip	
DM50-1SGNPHO	cm 5x18,3 m
3) black/white HAZARD	Size
with diagonal phosphorescent danger strips	
DM50EGPHON	cm 5x18,3 m




R13 anti-slip certified

Use examples

CONFORMABLE AND ADAPTABLE SAFETY

This comformable/adaptable anti-slip product is composed of abrasive particles spread over a flexible aluminium support to adapt to irregular surfaces using its extremely high adhesive strength. For its great ability to adapt to all irregular environments, it is recommended for curved and non-shapeless surfaces, such as ladders and warehouse ladders, earth moving machines, walkways, etc...



CONFORMABLE PRODUCT R13 anti-slip certified

SAFETY NAVY/BOAT - WATERPROOF TAPE

These waterproof products are ideal for people who experience sea life, for food environments and for showers. This waterproof range includes a unique coating able to ensure an anti-slip flooring with a smoother finishing, therefore it is possible to walk barefoot without risking abrasions and avoiding damages for skin, materials and wetsuits. Creating anti-slip surfaces in marine environments or in high humidity areas has always been a challenge, but with our waterproof products it is possible to achieve anti-slip flooring with the utmost ease. This material is ideal for safety in environments where food is produced, thanks to the absence of abrasive hollows and ledges and in high humidity areas, and as a tape for marine applications, changing rooms, boats and sports equipment, and for barefoot walking areas, such as showers, changing rooms, saunas, etc...It can be provided in any size.

Black code	Size
DM25ASNE	2,5 cm
DM50ASNE	5 cm
DM100ASNE	10 cm
Grey Code	
DM25ASGR	2,5 cm
DM50ASGR	5 cm
DM100ASGR	10 cm
Beige Code	
DM25ASBE	2,5 cm
DM50ASBE	5 cm
DM100ASBE	10 cm
White Code	
DM25ASBI	2,5 cm
DM50ASBI	5 cm
DM100ASBI	10 cm
Transparent Code	
DM25ASTR	2,5 cm
DM50ASTR	5 cm
DM100ASTR	10 cm

STRENGTHS OF THIS PRODUCT

- Unique anti-slip coating, highly effective.
- Absence of hard and rough granules.
- Permanent adhesive surface.
- Available in four basic colours: black, white, beige, grey and transparent. Available in any size and width.
- Easy and instant application.
- High efficiency as anti-slip tape for marine applications.
 - Create a very good anti-slip flooring, it's an excellent safety tape.

NAVY PRODUCT R11 anti-slip certified



SAFETY NAVY/BOAT SOFT

Black Code	Size	
DM25RENE	cm 2,5x18,3 m	
DM50RENE	cm 5x18,3 m	
DM100RENE	cm 10x18,3 m	
Yellow Code		
DM25REGI	cm 2,5x18,3 m	
DM50REGI	cm 5x18,3 m	
DM100REGI	cm 10x18,3 m	
Rough Grey Code		
DM25CRGR	cm 2,5x18,3 m	
DM50CRGR	cm 5x18,3 m	
DM100CRGR	cm 10x18,3 m	
X-Soft Rough Grey Code		
DM25CGGR	cm 2,5x18,3 m	
DM50CGGR	cm 5x18,3 m	
DM100CGGR	cm 10x18,3 m	

Rough Black code	Size	
DM25CRNE	cm 2,5x18,3 m	
DM50CRNE	cm 5x18,3 m	
DM100CRNE	cm 10x18,3 m	
Blue Code		
DM25CRBL	cm 2,5x18,3 m	
DM50CRBL	cm 5x18,3 m	
DM100CRBL	cm 10x18,3 m	
White Code		
DM25CRBI	cm 2,5x18,3 m	
DM50CRBI	cm 5x18,3 m	
DM100CRBI	cm 10x18,3 m	
Transparent Code		<u>Patiens (</u>).
DM25CRTR	cm 2,5x18,3 m	alte
DM50CRTR	cm 5x18,3 m	TRASPACEWIE
DM100CRTR	cm 10x18,3 m	1 Pr.

ELASTIC SAFETY

This range of product is composed of ideal, anti-slip and non-abrasive material, with the same qualities of waterproof tape, and an anti-slip flooring with a light and relief. elasticity а soft Depending on its quality, ELASTIC NAVY/BOAT SAFETY can be provided in different colours. This material is often used to manufacture anti-slip tapes for marine applications.





DM635115DPNE	Black colour	Size 635x115 mm
DM635115DPGI	Yellow colour	Size 635x115 mm
DM12045635DPNE	Black colour	Size 635x120x45 mm



DM3418N	Black colour	Size 5 cm x 18,3 m
DM4644BSL	White colour (perforated)	Size 5 cm X 18,3 m
DM4644NSL	Black colour (perforated)	Size 5 cm X 18,3 m



CODE DM3418N

has obtained *FAR* 25.853 fire-resistant and fireproof certification, to be used inside commercial aircrafts, in the field of aeronautics and aerospace industry.

SAFETY NAVY/BOAT Anti-slip aluminium

This anti-slip product is ideal for high humidity areas, also in places as small harbours where there's sea water. It is composed of a stainless aluminium profile on which our more resistant product has been applied.

ANTI-SLIP SAFETY

Tearproof for soft grip

It's an anti-slip, very resistant and non-abrasive coating tape equipped with an effective and pleasant to touch surface. It is normally used also for coating industrial handrails, since it has a soft handle and allows a solid grip; when applied on shelves, it prevents from slipping any materials placed on them. 50 mm standard size, it is possible to tailor its width from 20 mm to 1350 mm. **It can be manufactured with or without adhesive.**