

Traffic Appiccicoso with Adhesive-Backed





TRAFFIC FLOOR MATS



TRAFFIC CUSTOM-PRINTED FLOOR MATS



TRAFFIC FLOOR MATS WITH SAFETY BORDERS



ENTRANCE MAT



TRAFFIC ANTIMICROBIAL MATS



TRAFFIC ABSORBENT MATS



MAT WITH ADHESIVE-BACKED

The answer to preventing slips, trips and falls? It's right under your feet!

Award-winning DMR Traffic Appiccicoso with Adhesive-Backed are the perfect additionto your floor safety measures.

Our team perfected New DMR's exclusive stick-and-release technology and invented the world's first adhesive-backed absorbent mat. Over 10 years later, no one comes close in quality, range and reliability.

Our Adhesive-Backed Mats range is proven to never disintegrate or leave any residue behind — even when saturated. They stick tight to most commercial floor surfaces and won't ripple, bunch up or flip over They offer the perfect solution for reducing slips, trips and falls, as well as the costly legal claims often associated with these types of incidents.

They provide a safer, lower-profile, more durable and aesthetically-pleasing floor safety solution when compared with traditional rubber-backed mats.

Isn't it time to take your floor safety to the next level with DMR Traffic Adhesive-Backed Mats?



DMR's Traffic Appiccicoso withAdhesive-Backed EASY FIT — EASY CLEAN — EASY CHANGEOUT Find out just how easy on page 23.

TESTED & CERTIFIED!



EU: DIN 51130:2014 – Traffic Appiccicoso Mat classified as slip resistance R13 according to DIN51130 - suitable for use floors in workrooms and work areas where there is increased risk of slipping due to grease, oil, water, foods,left-overs,dust, flour, paint clippings etc.

BS7976-2:2002+A1:2013 - Low slip. Tested in accordance with BS 7976-2:2002+A1:2013, and demonstrated low slip potential in both wet and dry conditions.

BS EN 13501-1:2007+A1:2009 - Fire classification Bfl-s1 when tested according to BS EN 13501-1.

US: National Floor Safety Institute (NFSI): When used as part of your floor safety program, high-traction surfaces such as Grippy Floor Mat have been proven to reduce slip-and-fall claims by as much as 90%.



EXCLUSIVE BENEFITS OFDMR TRAFFIC APPICCICOSO WITH ADHESIVE-BACKED



SAFFR

Reduce hazards.

Trap dirt and liquids for months at a time to prevent their spread for cleaner, safer, drier floors.



CLEANER

Keep floors cleaner for longer.

Traps dirt, grease, salt and a variety of liquids to keep floors looking their best.



LONGER LASTING

Stays down longer.

Durable mat construction lasts longer than traditional-style floor mats
— stays on the job for up to 6 months!



CUSTOMISABLE

Easily cut to fit.

Create perfect, continuous coverage in any size or shape. No gaps. No ripples. No overlaps.



GREENER

Environmental choice.

DMR Traffic Appiccicoso Mat has up to 91% lower environmental impact than rental floor mats. Grippy Absorbent Mat is made using 25% pre-consumer recycled content. Traffic Appiccicosoe Mat's absorbent layer is made from 100% post-consumer recycled polyester fabric.



ECONOMICAL

Save time and money.

Protect floor surfaces and decrease cleaning time, all while reducing slip, trip and fall claims.



TRAFFIC FLOOR MATS



TRAFFIC CUSTOM-PRINTED FLOOR MATS



TRAFFIC FLOOR MATS WITH SAFETY BORDERS



TRAFFIC FLOOR MAT STARTER PACK



ENTRANCE MAT



TRAFFIC ANTIMICROBIALSINK & DRYER MATS



TRAFFIC ABSORBENT MATS



TRAFFIC MAT ACCESSORIES

Traffic Appiccicoso Adhesive-Backed Mats Selection Guide


TRAFFIC APPICCICOSO MATS - See Pages 8-12

Durable and low-profile mats stay in place and trap dirt, grease, salt and moisture. Available in original Floor Mat, Custom Printed Floor Mat and Floor Mat with Safety Borders varieties.



Adhesive Backing

Sticks tight, but peels up easily. Won't disintegrate in wet conditions.













Floor Mat

Custom Printed Floor Mat

Floor Mat with Safety Borders



91% LOWER environmental impact than rubber-backed mats!*

Depending on conditions and traffic patterns, Traffic Appiccicoso only needs replaced twice per year. Traffic Appiccicoso would have to be replaced 47 times per year to have the equivalent environmental impact of rubber-backed mats. Even if you OWN rubber-backed floor mats and don't launder them, Traffic Appiccicoso still has a LOWER environmental impact of at least 40%.

*Based on an independent Energy and Environmental Impact Comparison of the DMR Traffic Applications and Rental Floor Mat study. Conducted by the Golisano Institute for Sustainability, Rochester Institute of Technology, March 20, 2017. Full study available upon request.

ENTRANCE MATS - See Pages 14-15

Plush and attractive alternative to outdated rubber-backed entrance mats. High-performance, low-profile surface, with stylish texture for entrances that impress.








TRAFFIC ANTIMICROBIAL MATS - See Pages 16-19

All the safety features of Traffic Appiccicoso Mat plus a permanently infused antimicrobial technology that fights odour causing bacteria and mould.



Styles:






Sink & Dryer

Runners

TRAFFIC ABSORBENT MATS - See Pages 20-21

Improve industrial floor safety and reduce slips, trips and falls around machines, equipment and workstations where oily overspray is an issue.



TRAFFIC ANTIMICROBIAL SINK MATS AND ELECTRIC HAND DRYERS

Refresh yourself with our range of antibacterial and antifungal floor protection.

Antimicrobial runner with adhesive-backed

Anti-microbialTraffic mats with adhesive backing for washes and towels

Antimicrobial sink and hand dryer mats provide effective protection from drips and splashes in front of sinks and under hand dryers and towel dispensers.

They can also be used in front of drinking fountains, showers, transit areas or wherever water and other liquids need to be absorbed to control slip and trip hazards and prevent the proliferation of odour-causing mould batteries.



REQUEST A FREE SAMPL

Antimicrobial traffic sink mats and electric hand dryers

Sizes	Unit	Article number
43 cm width x 61 cm lenght	4 tampons/box	A1019867
61 cm width x 89 cm lenght	4 tampons/box	A1029869





NO SHIFTING, BUNCHING OR FLIPPING OVER!

Create a safe amount of walk-off coverage with DMR Traffic Appiccicoso

DMR TRAFFIC APPICCICOSO MATS RANGE

Stop slips, trips and falls for good with the thinnest commercial floor mats you can buy.

- Install a high traction, customised walking surface anywhere you need it
- Won't obstruct doors or become a tripping hazard
- Leave mat in place and vacuum, mop, or even deep clean with a floor scrubber
- Durable construction withstands constant traffic for up to 6 months

Our Traffic Appiccicoso Mat range makes it easy to install a high-traction, customisedwalking surface anywhere you need it — with no dangerous gaps oroverlaps — in entrances, aisles, transition areas, walkways and more.

They are absorbent, quick-drying and dirt-trapping to prevent the tracking and seepage associated with traditional rubber-backed mats, which often leads to dangerous slip and fall incidents and unsightly floors.

Unlike traditional rubber-backed mats, our adhesive-backed Traffic Appiccicoso Mat range never shifts, ripples or bunches up, so they won't obstruct doorsor become a tripping hazard. And because they are ultra-low profile, they're perfect for use with wheelchairs, walkers and other light-wheeledtraffic, too!

The full Traffic Appiccicoso Mat range can be cleaned along with the rest of your floor— just leave mat in place and vacuum, mop or even deep clean with afloor scrubber for super-easy, stay-in-place maintenance!

Their durable construction withstands constant traffic for up to six months, so you change them out less often — saving you time and money. But, when the time does come to replace them, our exclusive adhesive formulation pulls up easily without leaving any residue behind.

So, for cleaner, safer floors, replace your outdated rental and rubber-backed mats with DMR Traffic Adhesive-Backed Mats — the mat that stays put no matter what.

TRAFFIC APPICCICOSO MAT



Our original adhesive-backed mat is the ideal solution for commercial environments like offices, receptions and retail environments.

TRAFFIC CUSTOM-PRINTED MAT



Adhesive-backed Custom-Printed Floor Mat reduces slip, trip and fall risks while keeping your brand, marketing or even safety messaging front and centre.

TRAFFIC APPICCICOSO MAT WITH SAFETY BORDERS



Hi-vis, chevron-bordered mat is great for industrial applications, such as warehouses and manufacturing floors, where delineating spaces and walkways is essential.

TRAFFIC APPICCICOSO MAT STARTER PACK



Start creating safer floors and experience how easy our Traffic Mat range is to fit, maintain and changeout with this handy all-in-one kit.

DMR TRAFFIC APPICCICOSO MATS

The original adhesive-backed, high-traction mat for coverage everywhere you need it.

- Extremely-durable and low-profile floor safety solution
- Effortless to maintain and easy to clean
- Customisable floor protection that stops dirt at the door

Our original Traffic Appiccicoso Adhesive-Backed Mats range offers a highly absorbent, extremely durable and low-profile floor safety solution that's perfect for reducing slips, trips and falls in high-traffic areas.

It traps dirt, grease, salt, mud and moisture to prevent it being tracked through your premises. And its innovative construction is effortless to maintain and easy to clean using everything from a vacuum to a commercial floor scrubber.

The exclusive adhesive sticks to most commercial floor surfaces and stays put, preventing the dangerous shifting, bunching and flipping associated with traditional rubber-backed mats.

Available in pre-cut mat lengths or continuous rolls, up to 30m long, for customisable floor protection that stops dirt at the door.







Stays down for up to 6 months

WHERE IT WORKS

For entrances, walkways, transition areas, wet environments, front-of-house and common areas in a wide variety of premises, including:

- Retail Environments
- Offices & Commercial Premises
- **Settings**
- Airports, Rail & Bus Terminals
- ✓ Leisure & Hospitality Venues

 ✓ Medical & Care Facilities
- Manufacturing Facilities

COMPATIBILITY

Suitable for hard floor surfaces including:

- ✓ Concrete
- ✓ Vinyl Tile
- Ceramic Tile

- Quarry Tile

MAT MAINTENANCE

Easily clean in place using one of these tools:



Vacuum







Spot Clean



Carpet Extractor



Commercial Floor Scrubber





For certifications details, see page 2.


REQUEST A FREE SAMPLE

DMR Traffic Adhesive-Backed Mats

Select the colour: Black Grey				
Sizes	Unit	It absorbs up to	Article	
61 cm width x 30 m lenght	1 roll	20L/roll	A1079861	
91 cm width x 7,6 m lenght	1 roll	7.6L/roll	A1622665	
91 cm width x 15,3 m lenght	1 roll	15L/roll	A1079815	
91 cm width x 15,3 m lenght	10 mats/roll	15L/roll	A1562926	
91 cm width x 30 m lenght	1 roll	30L/roll	A1079877	
122 cm width x 15,3 m lenght	1 roll	19,7L/roll	A1071215	
91 cm width x 6 m lenght	4 mats/roll	6L/roll	A1672900	
183 cm width x 6 m lenght	2 mats/roll	13,2L/roll	A1071836	

Please note: DMR provides the warranties implied by law only in relation to DMR adhesive-backed mats. The customer must ensure that these products are suitable for use in their premises and on their flooring. Product lifespan dependant upon usage conditions and traffic patterr Further details to relevant terms and conditions can be found on page 24.

TRAP DIRT AT THE DOORWAY 20 Days, 1,000 People,11Kg of Dirt. Providing a longer walkoff with Traffic captures more dirt. **Traffic Appiccicoso Adhesive-Backed Mat**





To find out more about the technology behind our original Traffic Appiccicoso Mat see page 4.









SUPERMARKETS

DMR TRAFFIC CUSTOM-PRINTED FLOOR MATS

All the benefits of original Traffic Appiccicoso Mat plus your logo or message custom printed!

- High-definition custom printing
- Highly-absorbent, extremely durable and easy to maintain
- Lightweight, low-profile, no-budge design

We combined all the floor safety features and convenience of our original Traffic Appiccicoso Adhesive-Backed Mat with the added benefit ofhigh-definition custom printing.

Just like the original Traffic Mat, our custom-printed version offersthe same highly absorbent, extremely durable and easy-to-maintainwalking surface.

State-of-the-art, UV-resistant, digital printing gives you the flexibility to change your look and/or messaging every three to six months. And the smooth, flat surface produces sharper, more detailed images that won't distort over time like carpet mats do as the pile crushes.

Its lightweight, low-profile, no-budge design is the perfect solution for trapping dirt, grease, salt, mud and moisture to prevent it being tracked through your premises and reducing trip hazards to improve floor safety.



DURABILITY



Stays down for up to 6 months

WHERE IT WORKS

For entrances, walkways, aisles, front-of-house and high-footfall areas in a wide variety of settings, including:

- Retail Premises
- **⊘** Offices & Commercial Premises
- **Settings**
- Airports, Rail & Bus Terminals
- Leisure & Hospitality Venues Medical & Care Facilities
- **⊘** Vehicle Dealerships

COMPATIBILITY

Suitable for hard floor surfaces including:

- **⊘** Concrete
- Vinyl Tile
- Ceramic Tile

Мор

- Quarry Tile

MAT MAINTENANCE

Easily clean in place using one of these tools:



Vacuum



Brush Carpet Extractor



Spot Clean



Commercial Floor Scrubber





For certifications details, see page 2.

REQUEST A FREE SAMPLE

DMR Traffic Appiccicoso Adhesive-Backed Custom-Printed Mat

Select the colour:	Grey		
Sizes	Unit	It absorbs up to	Article number
91 cm width x 152 cm lenght	1 mat	1,5L/roll	A1079835
91 cm width x 305 cm lenght	1 mat	3L/roll	A1079840
122 cm width x 183 cm lenght	1 mat	2.4L/roll	A1079845
183 cm width x 305 cm lenght	1 mat	6.6L/roll	A1079850

Please note: DMR provides the warranties implied by law only in relation to DMR adhesive-backed mats. The customer must ensure that thest products are suitable for use in their premises and on their flooring. Product lifespan dependant upon usage conditions and traffic patterns. Further details to relevant terms and conditions can be found no page 24.

To find out more about the technology behind our original Traffic Appiccicoso Mat see page 4.







DMR TRAFFIC MATS WITH SAFETY BORDERS

Put the path to floor safety front and centre.

- Highlight dangers and create safer pathways
- Durable enough to withstand even the toughest of industrial wear and tear

We combined all the floor safety features and convenience of our original Traffic Appiccicoso Adhesive-Backed Mat with a high-vis yellow chevron border to help highlight dangers and create safer pathways through hazardous industrial environments.

The exclusive adhesive backing keeps the mat exactly where you put it with no shifting, bunching up or flipping over.

Its high-traction surface is durable enough to withstand even the toughest of industrial wear and tear, standing up to forklift, pallet truck and heavy foot traffic for up to six months.



REQUEST A FREE SAMPLE

DMR Traffic Appiccioso Adhesive-Backed Mats with Safety Borders

Sizes	Unit	It absorbs up to	Article number
91 cm width x 15,3 m lenght	1 roll	15L/roll	A1059881
91 cm width x 30 m lenght	1 roll	30L/roll	A1019859

Please note: DMR provides the warranties implied by law only in relation to DMR adhesive-backed mats. The customer must ensure that these products are suitable for use in their prenises and on their flooring. Product lifespan dependant upon usage conditions and traffic patterns. Further details to relevant terms and conditions can be found on page 24.

DURABILITY



Stays down for up to 6 months

WHERE IT WORKS

For walkways, stairwells, transition areas, wet environments and non-public areas in a wide variety of industries, including:

- ✓ Manufacturing
- Heavy Engineering
- ✓ Warehouse & Storage
- **⊘** Transportation & Logistics
- Leisure & Hospitality Venues

COMPATIBILITY

Suitable for hard floor surfaces including:

- **⊘** Concrete
- **⊘** Vinyl Tile
- ✓ Ceramic Tile

- Quarry Tile

MAT MAINTENANCE

Easily clean in place using one of these tools:



Vacuum



Brush



Spot Clean



Carpet Extractor



Commercial Floor Scrubber





For certifications details, see page 2.

To find out more about the technology behind our Traffic Appiccicoso Mat with Safety Borders on page 4.



DMR TRAFFIC APPICCICOSO MAT STARTER PACK

Everything you need to start creating cleaner, safer floors.

- Sticks tight to most commercial floor surfaces, reducing slip, trip and fall incidents
- Comes complete with everything you need to get started with our Traffic Appiccicoso Mat range

Get everything you need to stop wrestling with rubber-backed rental mats in one handy kit!

Traffic Appiccicoso Mat's exclusive adhesive sticks tight to most commercialfloor surfaces, reducing slip, trip and fall incidents all while trapping dirtgrease, salt, mud and moisture at the door for cleaner and safer floors.

This useful Starter Pack comes complete with everything you need to get started with our Traffic Appiccicoso Mat range — including one roll of ouroriginal DMR Traffic Adhesive-Backed Mat, a Safety Knife for clean, precise cuts and an Installation Board to help you customise and achieve a professional finish when fitting.

Perfect for creating safer entrances, walkways, transition areas and common areas in a wide variety of premises.

Discover just how easy it is to work with Traffic Applications Mat. Make theswitch to the mat that sticks and start creating safer and cleaner floorstoday with our Traffic Mat Starter Pack.




DMRTraffic Appiccicoso Adhesive-Backed Mat Starter Pack

Accessories for the installation			
Article Sizes Article number			
Dima Kit + cutter 95,6x15cm DMRMATTA			
Contains: installation tool: 1 - cutter			

Accessories for the installation				
Article Sizes Article number				
Installation roller 96,5x147,3cm SQT600				
Contains: Installation roller for the adhesive mat				

Please note: DMR provides the warranties implied by law only in relation to DMR adhesive-backed mats. The customer must ensure that these products are suitable for use in their premises and on their flooring. Product lifespan dependant upon usage conditions and traffic patterns. Further details to relevant terms and conditions can be found on page 24.





DMR ENTRANCE MATS

Safe floors never looked so good.

- Absorbent fibres are made from 100% post-consumer recycled polyester
- Safer no-trip walking surface that doesn't budge, curl or flip
- Commercial-grade durability that stays down for up to 6 months

Using the same adhesive backing and offering the same floor safety features as our Traffic Appiccicoso Mat range, our Entrance Mats area cost-effective and stylish replacement for those outdated trip-prone traditional rubber-backed entrance and scraper mats.

The absorbent fibres are made from 100% post-consumer recycled polyester and offer a highly absorbent surface that dries out quickly to prevent moisture from reaching your floors.

The mats absorb water, oil and grease, as well as trap dirt and debris to prevent them from being tracked around and becoming a slip hazard. The mat also sticks tight to most commercial floor surfaces, offering a safer no-trip walking surface that doesn't budge, curl or flip.

The attractive Berber texture of our mats adds a plush, high-end look to your premises, offering commercial-grade durability that stays down for up to six months, is easily cleaned in place and can be cut to size easily without fraying or unraveling.

DURABILITY



Stays down for up to 6 months



WHERE IT WORKS

For entrances, walkways, aisles, front-of-house and reception areas where first impressions count, including:

- ✓ Retail Premises & Vehicle Dealerships ✓ Educational Settings
- **⊘** VIP Areas
- **⊘** Leisure & Hospitality Venues Luxury Venues

COMPATIBILITY

Suitable for hard floor surfaces including:

- ✓ Vinvl Tile
- Quarry Tile

MAT MAINTENANCE

Easily clean in place using one of these tools:

Vacuum

Carpet Extractor

Brush

Мор

Ceramic Tile



Spot Clean



For certifications details, see page 2.



REQUEST A FREE SAMPLE

DMR Adhesive-Backed Entrance Mats

Select the colour: Black	he colour: Black Bordeau Grey		
Sizes	Unit	It absorbs up to	Article number
91 cm width x 15,3 m lenght	1 roll	51,5L/roll	A1792924
183 cm width x 3 m lenght	1 roll	20,4L/roll	A1792925

Please note: DMR provides the warranties implied by law only in relation to DMR adhesive-backed mats. The customer must ensure that these products are suitable for use in their premises and on their flooring. Further details to relevant terms and conditions can be found on page 24.

STARTER PACK

Everything needed for floor safety in one kit!

Create safe, stylish entrances and walkways that impress with our Entrance Mat Starter Pack. Containsone roll of Berber Carpeted Entrance Mat, a Safety Knife and Installation Board.

A1814270

DMR Adhesive-Backed Entrance Mat Starter Pack

Contract 1 01 - 2 Circ Polo Contract 1 00 F - 1 F - 1 - 1 1 1 1 1 1 1 1 1			stellesten Derud
91cm W x 3m L	1 roll	10.3L/roll	A1814270
Size	Unit	Absorbs Up To	Item #
Colour: Grey			

Contents: 1 - 91cm x 3m Grippy Berber Carpeted Entrance Mat • 1 - 96.5cm x 15cm Installation
- Safety Knife

Please note: DMR provides the warranties implied by law only in relation to DMR adhesive-backed mats. The customer must en these products are suitable for use in their premises and on their flooring. Product lifespan dependant upon usage conditions ar Further details to relevant terms and conditions can be found on page 24.



DMR ABSORBENT TRAFFIC MATS

Tough, low-profile, sticks-tight floor protection for industrial environments.

 Can withstand heavy foot traffic, pallet truck and equipment drive-overs

No-slip, no-trip solution for cleaner and safer industrial floors

Absorbent Traffic Mats, with their layers of fine-fibre polypropylene, safely absorbs leaks, drips and overspray of oils, coolants, solvents and water around workstations, machinery, equipment and walkways in industrial environments.

With its tough spunbonded layer, heavy-duty zigzag stitching and low-profile design, our Absorbent Mats can withstand heavy foot traffic, pallet truck and equipment driveovers in challenging industrial environments without shifting, bunching up or flipping over.

The exclusive adhesive backing sticks tight on most commercial floor surfaces to provide a no-slip, no-trip solution for cleaner and safer industrial floor. Peels up easily when the time comes to replace — stays put for up to three months or until the mat is saturated or showing signs of wear.

Mats are also great for lining workbenches, countertops, toolboxes and more to prevent oily stains and grime.

Use in conjunction with our original Traffic Appiccicoso Mat and Traffic Appiccicoso Mat with Safety Borders as part of your industrial floor safety programme for cleaner and safer floors throughout your premises.

DURABILITY



Stays down for up to 3 months

WHERE IT WORKS

For spill-prone areas, workbenches, toolboxes, dispensing stations, equipment repair areas and around machines with oily overspray in a wide variety of premises and industries, including:

- Manufacturing Environments
- Heavy Engineering

- **OVER INDIVISION NAME OF STREET OF STREET**

COMPATIBILITY

Suitable for hard floor surfaces including:

- **⊘** Concrete
- ✓ Vinyl Tile
- ✓ Ceramic Tile

- Quarry Tile

MAT MAINTENANCE

Easily clean in place using one of these tools:

Vacuum

Brush

For certifications details, see page 2.



REQUEST A FREE SAMPLE

DMR Adhesive-Backed Absorbent Traffic Mat Rolls

Sizes	Unit	It absorbs up to	Article number
81 cm width x 30 m lenght	1 roll	39,7L/roll	A1059879
81 cm width x 15 m lenght	1 roll	19,9L/roll	A1059880
41 cm width x 15 m lenght	1 roll	9,8L/roll	A1059841
81 cm width x 7,6 m lenght	1 roll	5L/roll	A1059876
81 cm width x 102 cm lenght	1 roll	1,3L/roll	A1059813

Please note: DMR provides the warranties implied by law only in relation to DMR adhesive-backed mats. The customer must ensure that these products are suitable for use in their premises and on their flooring. Product lifespan dependant upon usage conditions and traffic patterns. Further details to relevant terms and conditions can be found on page 24.

DMR TRAFFIC ADHESIVE-BACKED MAT ACCESSORIES

Straight cuts, smooth placement, simple removal –tools to make an easy job even easier!



Traffic Adhesive-Backed Mats Installation Board

Produce clean, accurate cuts with this convenient, pre-scored template and use as a float to quickly smooth out Adhesive-Backed Mat in one pass.

Helps create perfect 45° angles for fitting around obstacles or cutting awkward shapes. Two boards can be connected together to create an extra-long cutting guide for making long diagonal cuts or installing wide mats.



Traffic Adhesive-Backed Mats Installation Roller

Ergonomic design for comfortable grip and upright operation makes installing long runs of Traffic Mat quicker, easier and less demanding on your knees and back.

Simply push along to smooth Traffic Mat into place without creating air pockets or bubbles.

Installation Roller For Traffic Adhesive-Backed Mats



Traffic Adhesive-Backed Mats Safety Cutting Knife

Make clean, professional and precise cuts when fitting Traffic Mat with the safety-first knife.

Recessed blade, with protective edges, makes quick, clean cuts, helping to eliminate injuries. Perfect tool to use in combination with pre-scored quidelines of our Installation Board (GRP001).

Safety Cutting Knife

Description - Dima kit	Unit	Unic code
Safety cutter	1 knife with 2 blades	
	Guide dimension	DMRMATTAG
Cutting guide	96,5 cm width x 15 cm lenght	

Sizes	Unit	Article number
96,5 cm width x 147 cm lenght	1 each one	SQT600

Traffic Adhesive-Backed Mats Removal Tool

Tool's claw-like jaws "lock" onto the mat material to provide a firm, comfortable handgrip that won't dig into your hands when pulling up and removing Traffic Mat.

Made of durable, high-quality aluminium and features a rounded handle for easy grip.

Removal Tool For Traffic Adhesive-Backed Mats

EASY TO INSTALL

Use our installation tool as a guide for straight cuts, then pick it up and use it to smooth Traffic Applications Adhesive-Backed Mat into place. Alsoworks for cutting corners at 45° angles to extend product life.



1. Prepare Floor

Clean, rinse and dry your floor thoroughly to remove detergent film so Mat will properly adhere.



2. Cut to Fit

Roll out Traffic Applications Mat and cut tosize using a safety knife, scissorsor utility blade.



3. Stick It Down

Smooth out mat and press it into place using Installation Board, Roller or other flat edge.



4. Trim Edges and Corners

Cut angled corners during installation and trim during use to reduce potential lifting.

EASY TO MAINTAIN

Leave Traffic Appiccicoso Mats in place and clean along with the rest of your floor for super easy, stay-in-place maintenance.



Routine Cleaning*

You can sweep, vacuum and mop to keep mat clean and fresh without shifting.



Floor Scrubbers and Extractors*

Pre-treat tougher stains by spot-cleaning before using your scrubber/extractor's low speed/ water settings to clean.



Trimming Edges and Corners

If edges become worn or begin to lift, peel back mat until fresh adhesive is exposed, trim and press the new edge into place.



Handling Excess Water*

Remove excess water when your mat becomes saturated. Use a wet-vac or extractor to remove excess water and use fans/ blowers to reduce drying times.

EASY TO REMOVE & REPLACE

Replacing Traffic Applications Adhesive-Backed Mats is easy — just pull them up! Our exclusive adhesive formulation won't leave any residuebehind so you don't need to worry about sticky floors.



Frequency of Changeouts

Our mats are long lasting and extremely durable. When they show obvious signs of wear, or a weakened bond to the floor, they should be replaced.



Removing Mats by Hand

- 1. Peel up a corner of the mat using your fingers or the scraper side of the Safety Knife.
- 2. Bend at the knees while lifting the corner until the mat can be gripped by both hands.
- 3. Pull the mat up in a smooth, continuous motion, inching backwards as you go do NOT use jerking motions to remove.



Removing Mats with our Removal Tool

Most Traffic Appiccicoso Mats pull up easily by hand. Our Removal Tool is helpful for removinglong runs, wide sizes or mats that have beenin place for extended periods of time. Simply lock the tool's jaws onto the mat material and pull.

^{*}Note: Absorbent Mats NOT suitable for mop, spot, or extractor cleaning. Neither Absorbent Mats nor Entrance Mats are compatible with floor scrubber cleaning. Handling Excess Water instructions do NOT apply to Absorbent Mat range.

To order, please contact:




Telefono: 0871 950290

E-mail: info@dmrleanmanufacturing.it Online: www.dmrleanmanufacturing.it



TRAFFIC APPICCICOSO MATS See Pages 4



TRAFFIC APPICCICOSO CUSTOM-PRINTED MATS



TRAFFIC APPICCICOSO MATS WITH SAFETY BORDERS



ENTRANCE MATS
See Pages 14-15



ANTIMICROBIAL TRAFFIC MATS

See Pages 16-19



ABSORBENT TRAFFIC MATS

See Pages 20-21

DMR Traffic Adhesive-Backed Mat Notice: DMR adhesive-backed mats are formulated to work with most common industrial and commercial floor surfaces but are not intended for home/residential use and wood flooring. All adhesive mats have some potential to leave residue or lift or discolour finish coatings, paint, and loose or pre-damaged tiles depending on the condition and age of the floor surface. If you have questions about the suitability of DMR adhesive-backed mats for your application, test a 15cm x 15cm piece in a non-critical area before use. DMR Traffic Adhesive-Backed Mats should be replaced if they show signs of wear or damage and should always be changed out every 3 to 6 months, depending on conditions and traffic patterns. Customer assumes the risk that a DMR adhesive-backed mat may damage or alter their existing flooring or floor covering. Other than warranties implied by Jaw, DMR provides no warranty of fitness for a particular purpose and no warranty that an adhesive-backed mat will be fit for customer's intended use. Other than in respect of liability which DMR cannot lawfully exclude, DMR shall have no responsibility for, and customer hereby releases and discharges DMR from, any direct, indirect, incidental or consequential damages to their floors, flooring material, or any other surfaces in their premises. Customer is solely responsible for determining the fitness and appropriatenessof the use of DMR adhesive-backed mats in their premises.